	T == T :		1	
L. Number	Hits	Search Text	DB	Time stamp
2	1321	710/52.ccls. or 710/317.ccls. or 710/244.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 10:36
6	364	370/362-363.ccls. 370/381.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 12:35
7	844	712/11.ccls. or 712/16.ccls. or 712/207.ccls. or 712/28.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 10:51
8	2734	711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or 711/213.ccls. or 711/148.ccls. or 711/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 13:04
9	984	(crossbar or (cross adj1 bar))near10 (buffer or register or fifo or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 10:56
10	60	((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 11:16
11	7	((crossbar or (cross adj1 bar))near10 (buffer or register or fifo or queue)) and (((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1 memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 11:02
15	5512	(710/52.ccls. or 710/317.ccls. or 710/244.ccls.) or ((709/207).CCLS. OR (709/240 709/241).CCLS.OR (714/214).CCLS.) or (370/362-363.ccls. 370/381.ccls.) or (712/11.ccls. or 712/16.ccls. or 712/207.ccls. or 712/28.ccls.) or (711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or 711/213.ccls. or 711/141.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09
16	9	(((pre adj1 read) or preread or (read adj ahead)) same ((main or shared) adj1 memory)) and ((710/52.ccls. or 710/317.ccls. or 710/244.ccls.) or ((709/207).Ccls. OR (709/240 709/241).Ccls.OR (714/214).Ccls.) or (370/362-363.ccls. 370/381.ccls.) or (712/11.ccls. or 712/16.ccls. or 712/207.ccls. or 711/138.ccls.) or (711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or 711/158.ccls. or 711/168.ccls. or 711/141.ccls. or 711/141.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 13:07

17	6	((((pre adj1 read) or preread or (read	USPAT;	2002/12/09
		adj ahead)) same ((main or shared) adj1	US-PGPUB;	11:07
		memory)) and ((710/52.ccls. or	EPO; JPO;	
		710/317.ccls. or 710/244.ccls.) or	DERWENT;	
		((709/207).CCLS. OR	IBM_TDB	[
		(709/240 709/241).CCLS.OR	1	
		(714/214).CCLS.) or (370/362-363.ccls.		
	1	370/381.ccls.) or (712/11.ccls. or		
		712/16.ccls. or 712/207.ccls. or		
		712/28.ccls.) or (711/3.ccls. or		
		711/138.ccls. or 711/150-151.ccls. or		
		711/158.ccls. or 711/168.ccls. or		
1		711/213.ccls. or 711/148.ccls. or		
		711/141.ccls.))) not (((crossbar or		
1		(cross adj1 bar))near10 (buffer or		
:		register or fifo or queue)) and (((pre		
ļ	i	adj1 read) or preread or (read adj		
	•	ahead)) same ((main or shared) adj1		
10	50017	memory)))	***************************************	2000/12/00
18	50917	miss\$2 sane (parallel\$3 or simultaneous\$2	USPAT;	2002/12/09
1		or concurent\$2) same cache same (main	US-PGPUB;	11:20
1		adj1 memory)	EPO; JPO;	
	ļ		DERWENT;	
10		(IBM_TDB	2002/12/00
19	28	(miss\$2 sane (parallel\$3 or	USPAT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	12:35
		same (main adj1 memory)) and ((crossbar	EPO; JPO;	
		or (cross adjl bar))near10 (buffer or	DERWENT;	
	1	register or fifo or queue)) and	IBM_TDB	
		((710/52.ccls. or 710/317.ccls. or		
		710/244.ccls.) or ((709/207).CCLS. OR		
		(709/240 709/241).CCLS.OR		
		(714/214).CCLS.) or (370/362-363.ccls.		
		370/381.ccls.) or (712/11.ccls. or		
		712/16.ccls. or 712/207.ccls. or		İ
		712/28.ccls.) or (711/3.ccls. or 711/138.ccls. or 711/150-151.ccls. or		
		711/158.ccls. or 711/168.ccls. or		
		711/213.ccls. or 711/148.ccls. or		
		711/141.ccls.))		
20	640	709/207.ccls. or 709/240-241.ccls.or	USPAT;	2002/12/09
20	040	709/214.ccls.	US-PGPUB;	12:34
		7007214.0015.	EPO; JPO;] 12.3.
			DERWENT;	
			IBM TDB	
21	0	(miss\$2 sane (parallel\$3 or	USPAT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	13:05
		same (main adj1 memory)) and ((crossbar	EPO; JPO;	
}		or (cross adj1 bar))near10 (buffer or	DERWENT;	ļ
1		register or fifo or queue)) and	IBM TDB	
		(709/207.ccls. or 709/240-241.ccls.or	_	
[709/214.ccls.)		
22	2	5761452.pn.	USPAT;	2002/12/09
		_	US-PGPUB;	12:42
[EPO; JPO;	
[DERWENT;	
[IBM_TDB	
23	2	5701426.pn.	USPAT;	2002/12/09
[_	US-PGPUB;	12:44
1			EPO; JPO;	
			DERWENT;	
}			IBM_TDB	
24	2	5603005.pn.	USPAT;	2002/12/09
			US-PGPUB;	12:44
1			EPO; JPO;	
	,		DERWENT;	
1			IBM_TDB	

25	2868	711/3.ccls. or 711/137.ccls. or	USPAT;	2002/12/09
		711/150-151.ccls. or 711/158.ccls. or	US-PGPUB;	13:05
		711/168.ccls. or 711/213.ccls. or	EPO; JPO;	
		711/148.ccls. or 711/141.ccls.	DERWENT;	
			IBM TDB	
26	14	(miss\$2 sane (parallel\$3 or	USPĀT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	13:05
	1	same (main adj1 memory)) and ((crossbar	EPO; JPO;	
		or (cross adj1 bar)) near10 (buffer or	DERWENT;	
		register or fifo or queue)) and	IBM TDB	
		(711/3.ccls. or 711/137.ccls. or	_	
		711/150-151.ccls. or 711/158.ccls. or	ļ	
		711/168.ccls. or 711/213.ccls. or		
		711/148.ccls. or 711/141.ccls.)		
27	12	((miss\$2 sane (parallel\$3 or	USPAT;	2002/12/09
		simultaneous\$2 or concurent\$2) same cache	US-PGPUB;	13:05
		same (main adj1 memory)) and ((crossbar	EPO; JPO;	
		or (cross adj1 bar))near10 (buffer or	DERWENT;	
		register or fifo or queue)) and	IBM_TDB	
	1	(711/3.ccls. or 711/137.ccls. or	_	
		711/150-151.ccls. or 711/158.ccls. or		
		711/168.ccls. or 711/213.ccls. or		
	İ	711/148.ccls. or 711/141.ccls.)) not		
		(((crossbar or (cross adj1 bar))near10		
		(buffer or register or fifo or queue))		
		and (((pre adj1 read) or preread or (read		
		adj ahead)) same ((main or shared) adj1		
		memory)))		
28	5	(((pre adj1 read) or preread or (read adj	USPAT;	2002/12/09
	1	ahead)) same ((main or shared) adj1	US-PGPUB;	13:07
		memory)) and (711/3.ccls. or	EPO; JPO;	
		711/137.ccls. or 711/150-151.ccls. or	DERWENT;	
		711/158.ccls. or 711/168.ccls. or	IBM_TDB	1
		711/213.ccls. or 711/148.ccls. or		
		711/141.ccls.)		